# Author Index


Adeola, O.: *See* Fan, M.Z., 299
Allen, L.A., Wingertzahn, M.A., Teichberg, S., and Wapnir, R.A. Proabsorptive effect of glycerol as a glucose substitute in oral rehydration solutions, 49
Alvarez, B.: *See* Argilés, J.M., 244
Argilés, J.M., Busquets, S., Alvarez, B., and López-Soriano, F.J. Mechanism for the increased skeletal muscle protein degradation in the obese Zucker rat, 244
Arhan, P.: *See* Bouhallab, S., 723
Arhan, P.: *See* Pérès, J.-M., 215
Arjmandi, B.H.: *See* Sohn, E., 660
Asem, E.K.: *See* Fan, M.Z., 299
Azain, M.J., Kasser, T.R., and Baile, C.A. A method for the determination of glucose synthesis in isolated bovine hepatocytes, 205

Babineau, T.: *See* Nehra, V., 2
Babu, P.S., and Srinivasan, K. Renal lesions in streptozotocin-induced diabetic rats maintained on onion and capsaicin containing diets, 477
Baile, C.A.: *See* Azain, M.J., 205
Bamji, M.S.: *See* Brijlal, S., 728
Banerjee, R.: Nageswari, K., 338
Barbaroux, O.: *See* Galland-Irmouli, A.-V., 353
Baybutt, R.C.: *See* Heger, R.J., 518
Ben-Amotz, A.: *See* Werman, M.J., 449
Benamouzig, R.: *See* Meziani, K., 405
Benzie, I.F.F., Chung, W.Y., and Strain, J.J. "Antioxidant" (reducing) efficiency of ascorbate in plasma is not affected by concentration, 146
Berdanier, C.D.: *See* Kim, S.-B., 31
Bernardini, G.: *See* Rizzo, A.M., 44
Berner, Y.N.: *See* Stern, F., 467
Berra, B.: *See* Rizzo, A.M., 44
Bieber, L.L.: *See* Pap, M., 670
Billman, G.E.: *See* Leaf, A., 440
Bistrian, B.R.: *See* Nehra, V., 2
Bizeau, M.E., and Hazel, J.R. Dietary fat type alters glucose metabolism in isolated rat hepatocytes, 709
Blachier, F.: *See* Chambon-Savanovitch, C., 331
Blomhoff, R.: *See* Hagen, E., 345
Blumberg, J.B.: *See* Mune, M., 539
Bobilya, D.J., Reynolds, J.T., Faia, K.L., Briske-Anderson, M., and Reeves, P.G. Zinc-related metallothionein metabolism in bovine pulmonary artery endothelial cells, 139
Bobilya, D.J.: *See* McClung, J.P., 484
Boschero, A.C.: *See* Latorraca, M.Q., 37
Bouglé, D.: *See* Pérès, J.-M., 215
Bouglé, D.L.: *See* Bouhallab, S., 723
Bouhallab, S., Oukhatar, N.A., Mollé, D., Henry, G., Maubois, J.-L., Arhan, P., and Bouglé, D.L. Sensitivity of β-casein phosphopeptide-iron complex to digestive enzymes in ligated segment of rat duodenum, 723
Bouhallab, S.: *See* Pérès, J.-M., 215
Bouras, M.: *See* Meziani, K., 405
Bourre, J.M.: *See* Gerbi, A., 230
Brijlal, S., Lakshmi, A.V., and Bamji, M.S. Mitochondrial oxidative metabolism during respiratory infection in riboflavin deficient mice, 728
Briske-Anderson, M.: *See* Bobilya, D.J., 139
Brodal, B.P., Eliassen, K.A., Rönning, H., and Osmundsen, H. Effects of dietary polyamines and clofibrate on metabolism of polyamines in the rat, 700
Broitman, S.A.: *See* Cerda, S.R., 19
Bronowicki, J.-P.: *See* Galland-Irmouli, A.-V., 353
Brooks, S.P.J., and Lampi, B.J. Effect of dietary fat on whole body fatty acid synthesis in weanling rats, 291
Bruckner, G.: *See* Ibrahim, W., 674
Brückner, J.: *See* Petzke, K.J., 268
Bureau, F.: *See* Pérès, J.-M., 215
Busquets, S.: *See* Argilés, J.M., 244
Butler, J.A.: *See* Janghorbani, M., 564

Canfield, L.M., Taren, D.L., Kaminsky, R.G., and Mahal, Z. Short-term β-carotene supplementation of lactating mothers consuming diets low in vitamin A, 532
Carneiro, E.M.: *See* Latorraca, M.Q., 37
Carroll, K.K.: *See* Giroux, I., 166
Castillo, M., Hortal, J.H., Gil-Villarino, A., Luque, P., Iglesias, J., and García-Peregrín, E. Differential effects of dietary fat on chick plasma and liver composition and HMG-CoA reductase activity, 198
Cerda, S.R., Wilkinson, J., IV, Thorgeirsdottir, S., and Broitman, S.A. R-(+)-perillyl alcohol-induced cell cycle changes, altered actin cytoskeleton, and decreased *ras* and $p34^{cdc2}$ expression in colonic adenocarcinoma SW480 cells, 19
Chambon-Savanovitch, C., Farges, M.-C., Raul, F., Blachier, F., Davot, P., Cynober, L., and Vasson, M.-P. Can a glutamate-enriched diet counteract glutamine depletion in endotoxemic rats?, 331
Chang, Y.: *See* Peck, M.D., 380
Charlier, A.: *See* Gaire, D., 56
Chen, C. J.: *See* Hsu, J.-T., 510
Chesters, J.K., and Petrie, L. A possible role for cyclins in the zinc requirements during G1 and G2 phases of the cell cycle, 279
Cho, B.H.S.: *See* Xu, S., 654
Chow, C.K.: *See* Ibrahim, W., 674
Chu, W.-c.: *See* Venkatraman, J.T., 582
Chung, W.Y.: *See* Benzie, I.F.F., 146
Chuthakorn, R.: *See* Gorinstein, S., 367
Collins, H.E.: *See* Schramm, D.D., 193
Corte, C.: *See* Johnston, C.S., 696
Coste, T., Pierlovisi, M., Leonardi, J., Dufayet, D., Gerbi, A., Lafont, H., Vague, P., and Raccah, D. Beneficial effects of gamma linolenic acid supplementation on nerve conduction velocity, Na+, K+ATPase activity, and membrane fatty acid composition in sciatic nerve of diabetic rats, 411
Craft, N.: *See* Garrett, D.A., 573
Cucciolla, V.: *See* Manna, C., 159
Cynober, L.: *See* Chambon-Savanovitch, C., 331

Daggy, B.P.: *See* Sohn, E., 660
Dahlen, G.M.: *See* Saari, J.T., 210
Davot, P.: *See* Chambon-Savanovitch, C., 331
Debray, M.: *See* Gerbi, A., 230
Demigné, C.: *See* Lopez, H.W., 500
Devroede, G.: *See* Pérès, J.-M., 215
Dhansay, M.A.: *See* Wolmarans, P., 598
Dory, L.: *See* Fungwe, T.V., 306
Droesch, S.: *See* Gaire, D., 56
Dror, Y.: *See* Stern, F., 467
Duerksen, D.: *See* Nehra, V., 2
Dufayet, D.: *See* Coste, T., 411
Durand, G.: *See* Gerbi, A., 230

Edwards, A.M.: *See* Silva, E., 181
Eliassen, K.A.: *See* Brodal, B.P., 700

Faia, K.L.: *See* Bobilya, D.J., 139
Failla, M.L.: *See* Garrett, D.A., 573
Fan, M.Z., Adeola, O., and Asem, E.K. Characterization of brush border membrane-bound alkaline phosphatase activity in different segments of the porcine small intestine, 299
Farges, M.-C.: *See* Chambon-Savanovitch, C., 331
Fernandez, M.L.: *See* Sun, D., 172
Fernandez, M.L.: *See* Vergara-Jimenez, M., 118
Fleurence, J.: *See* Galland-Irmouli, A.-V., 353
Flor Zafra, M.: *See* Gil-Villarino, A., 325
Fotouhi, N.: *See* Mune, M., 539
Franck, G., Wdzieczak-Bakala, J., and Henrotte, J.-G. Modulating role of glucose on magnesium transport in rat erythrocytes, 433
Fukuda, K., Induction of tissue transglutaminase expression by propionate and n-butyrate in colon cancer cell lines, 397
Fungwe, T.V., Zapata, M., and Dory, L. Fatty acids alter time dependent loss of



J. Nutr. Biochem. 10:734–740, 1999


© Elsevier Science Inc. 1999. All rights reserved.


655 Avenue of the Americas, New York, NY 10010

0955-2863/99/$–see front matter
PII S0955-2863(99)00075-3

# Author Index


Adeola, O.: *See* Fan, M.Z., 299
Allen, L.A., Wingertzahn, M.A., Teichberg, S., and Wapnir, R.A. Proabsorptive effect of glycerol as a glucose substitute in oral rehydration solutions, 49
Alvarez, B.: *See* Argilés, J.M., 244
Argilés, J.M., Busquets, S., Alvarez, B., and López-Soriano, F.J. Mechanism for the increased skeletal muscle protein degradation in the obese Zucker rat, 244
Arhan, P.: *See* Bouhallab, S., 723
Arhan, P.: *See* Pérès, J.-M., 215
Arjmandi, B.H.: *See* Sohn, E., 660
Asem, E.K.: *See* Fan, M.Z., 299
Azain, M.J., Kasser, T.R., and Baile, C.A. A method for the determination of glucose synthesis in isolated bovine hepatocytes, 205

Babineau, T.: *See* Nehra, V., 2
Babu, P.S., and Srinivasan, K. Renal lesions in streptozotocin-induced diabetic rats maintained on onion and capsaicin containing diets, 477
Baile, C.A.: *See* Azain, M.J., 205
Bamji, M.S.: *See* Brijlal, S., 728
Banerjee, R.: Nageswari, K., 338
Barbaroux, O.: *See* Galland-Irmouli, A.-V., 353
Baybutt, R.C.: *See* Heger, R.J., 518
Ben-Amotz, A.: *See* Werman, M.J., 449
Benamouzig, R.: *See* Meziani, K., 405
Benzie, I.F.F., Chung, W.Y., and Strain, J.J. "Antioxidant" (reducing) efficiency of ascorbate in plasma is not affected by concentration, 146
Berdanier, C.D.: *See* Kim, S.-B., 31
Bernardini, G.: *See* Rizzo, A.M., 44
Berner, Y.N.: *See* Stern, F., 467
Berra, B.: *See* Rizzo, A.M., 44
Bieber, L.L.: *See* Pap, M., 670
Billman, G.E.: *See* Leaf, A., 440
Bistrian, B.R.: *See* Nehra, V., 2
Bizeau, M.E., and Hazel, J.R. Dietary fat type alters glucose metabolism in isolated rat hepatocytes, 709
Blachier, F.: *See* Chambon-Savanovitch, C., 331
Blomhoff, R.: *See* Hagen, E., 345
Blumberg, J.B.: *See* Mune, M., 539
Bobilya, D.J., Reynolds, J.T., Faia, K.L., Briske-Anderson, M., and Reeves, P.G. Zinc-related metallothionein metabolism in bovine pulmonary artery endothelial cells, 139
Bobilya, D.J.: *See* McClung, J.P., 484
Boschero, A.C.: *See* Latorraca, M.Q., 37
Bouglé, D.: *See* Pérès, J.-M., 215
Bouglé, D.L.: *See* Bouhallab, S., 723
Bouhallab, S., Oukhatar, N.A., Mollé, D., Henry, G., Maubois, J.-L., Arhan, P., and Bouglé, D.L. Sensitivity of β-casein phosphopeptide-iron complex to digestive enzymes in ligated segment of rat duodenum, 723
Bouhallab, S.: *See* Pérès, J.-M., 215
Bouras, M.: *See* Meziani, K., 405
Bourre, J.M.: *See* Gerbi, A., 230
Brijlal, S., Lakshmi, A.V., and Bamji, M.S. Mitochondrial oxidative metabolism during respiratory infection in riboflavin deficient mice, 728
Briske-Anderson, M.: *See* Bobilya, D.J., 139
Brodal, B.P., Eliassen, K.A., Rönning, H., and Osmundsen, H. Effects of dietary polyamines and clofibrate on metabolism of polyamines in the rat, 700
Broitman, S.A.: *See* Cerda, S.R., 19
Bronowicki, J.-P.: *See* Galland-Irmouli, A.-V., 353
Brooks, S.P.J., and Lampi, B.J. Effect of dietary fat on whole body fatty acid synthesis in weanling rats, 291
Bruckner, G.: *See* Ibrahim, W., 674
Brückner, J.: *See* Petzke, K.J., 268
Bureau, F.: *See* Pérès, J.-M., 215
Busquets, S.: *See* Argilés, J.M., 244
Butler, J.A.: *See* Janghorbani, M., 564

Canfield, L.M., Taren, D.L., Kaminsky, R.G., and Mahal, Z. Short-term β-carotene supplementation of lactating mothers consuming diets low in vitamin A, 532
Carneiro, E.M.: *See* Latorraca, M.Q., 37
Carroll, K.K.: *See* Giroux, I., 166
Castillo, M., Hortal, J.H., Gil-Villarino, A., Luque, P., Iglesias, J., and García-Peregrín, E. Differential effects of dietary fat on chick plasma and liver composition and HMG-CoA reductase activity, 198
Cerda, S.R., Wilkinson, J., IV, Thorgeirsdottir, S., and Broitman, S.A. R-(+)-perillyl alcohol-induced cell cycle changes, altered actin cytoskeleton, and decreased *ras* and $p34^{cdc2}$ expression in colonic adenocarcinoma SW480 cells, 19
Chambon-Savanovitch, C., Farges, M.-C., Raul, F., Blachier, F., Davot, P., Cynober, L., and Vasson, M.-P. Can a glutamate-enriched diet counteract glutamine depletion in endotoxemic rats?, 331
Chang, Y.: *See* Peck, M.D., 380
Charlier, A.: *See* Gaire, D., 56
Chen, C. J.: *See* Hsu, J.-T., 510
Chesters, J.K., and Petrie, L. A possible role for cyclins in the zinc requirements during G1 and G2 phases of the cell cycle, 279
Cho, B.H.S.: *See* Xu, S., 654
Chow, C.K.: *See* Ibrahim, W., 674
Chu, W.-c.: *See* Venkatraman, J.T., 582
Chung, W.Y.: *See* Benzie, I.F.F., 146
Chuthakorn, R.: *See* Gorinstein, S., 367
Collins, H.E.: *See* Schramm, D.D., 193
Corte, C.: *See* Johnston, C.S., 696
Coste, T., Pierlovisi, M., Leonardi, J., Dufayet, D., Gerbi, A., Lafont, H., Vague, P., and Raccah, D. Beneficial effects of gamma linolenic acid supplementation on nerve conduction velocity, Na+, K+ATPase activity, and membrane fatty acid composition in sciatic nerve of diabetic rats, 411
Craft, N.: *See* Garrett, D.A., 573
Cucciolla, V.: *See* Manna, C., 159
Cynober, L.: *See* Chambon-Savanovitch, C., 331

Daggy, B.P.: *See* Sohn, E., 660
Dahlen, G.M.: *See* Saari, J.T., 210
Davot, P.: *See* Chambon-Savanovitch, C., 331
Debray, M.: *See* Gerbi, A., 230
Demigné, C.: *See* Lopez, H.W., 500
Devroede, G.: *See* Pérès, J.-M., 215
Dhansay, M.A.: *See* Wolmarans, P., 598
Dory, L.: *See* Fungwe, T.V., 306
Droesch, S.: *See* Gaire, D., 56
Dror, Y.: *See* Stern, F., 467
Duerksen, D.: *See* Nehra, V., 2
Dufayet, D.: *See* Coste, T., 411
Durand, G.: *See* Gerbi, A., 230

Edwards, A.M.: *See* Silva, E., 181
Eliassen, K.A.: *See* Brodal, B.P., 700

Faia, K.L.: *See* Bobilya, D.J., 139
Failla, M.L.: *See* Garrett, D.A., 573
Fan, M.Z., Adeola, O., and Asem, E.K. Characterization of brush border membrane-bound alkaline phosphatase activity in different segments of the porcine small intestine, 299
Farges, M.-C.: *See* Chambon-Savanovitch, C., 331
Fernandez, M.L.: *See* Sun, D., 172
Fernandez, M.L.: *See* Vergara-Jimenez, M., 118
Fleurence, J.: *See* Galland-Irmouli, A.-V., 353
Flor Zafra, M.: *See* Gil-Villarino, A., 325
Fotouhi, N.: *See* Mune, M., 539
Franck, G., Wdzieczak-Bakala, J., and Henrotte, J.-G. Modulating role of glucose on magnesium transport in rat erythrocytes, 433
Fukuda, K., Induction of tissue transglutaminase expression by propionate and n-butyrate in colon cancer cell lines, 397
Fungwe, T.V., Zapata, M., and Dory, L. Fatty acids alter time dependent loss of



J. Nutr. Biochem. 10:734–740, 1999


© Elsevier Science Inc. 1999. All rights reserved.


655 Avenue of the Americas, New York, NY 10010

0955-2863/99/$–see front matter
PII S0955-2863(99)00075-3

apolipoprotein E expression by primary cultures of rat hepatocytes, 306
Furr, H.: *See* Vergara-Jimenez, M., 118
Furukawa, Y.: *See* Sone, H., 237

Gage, D.A.: *See* Pap, M., 670
Gaire, D., Sponne, I., Droesch, S., Charlier, A., Nicolas, J.-P., and Lambert, D. Comparison of two methods for the measurement of rat liver methylmalonyl-coenzyme A mutase activity HPLC and radioisotopic assays, 56
Galland-Irmouli, A.-V., Fleurence, J., Lamghari, R., Luçon, M., Rouxel, C., Barbaroux, O., Bronowicki, J.-P., Villaume, C., and Guéant, J.-L. Nutritional value of proteins from edible seaweed *Palmaria palmata* (Dulse), 353
Galletti, P.: *See* Manna, C., 159
García-Fuentes, E.: *See* Gil-Villarino, A., 325
García-Peregrín, E.: *See* Castillo, M., 198
García-Peregrín, E.: *See* Gil-Villarino, A., 325
Garrett, D.A., Failla, M.L., Sarama, R.J., and Craft, N. Accumulation and retention of micellar β-carotene and lutein by Caco-2 human intestinal cells, 573
Gerbi, A., Zérouga, M., Maixent, J.-M., Debray, M., Durand, G., and Bourre, J.M. Diet deficient in α-linolenic acid alters fatty acid composition and enzymatic properties of $NA^+$, $K^+$-ATPase isoenzymes of brain membranes in the adult rat, 230
Gerbi, A.: *See* Coste, T., 411
German, J.B.: *See* Schramm, D.D., 193
Gil-Villarino, A., García-Fuentes, E., Flor Zafra, M., and García-Peregrín, E. Coconut oil induces short-term changes in lipid composition and enzyme activity of chick hepatic mitochondria, 325
Gil-Villarino, A.: *See* Castillo, M., 198
Girard-Globa, A.: *See* Juhel, C., 458
Giroux, I., Kurowska, E.M., and Carroll, K.K. Role of dietary lysine, methionine, and arginine in the regulation of hypercholesterolemia in rabbits, 166
Goda, T.: *See* Kishi, K., 8
Gong, J.: *See* Mune, M., 539
Gorinstein, S., Zemser, M., Haruenkit, R., Chuthakorn, R., Grauer, F., Martin-Belloso, O. and Trakhtenberg, S. Comparative content of total polyphenols and dietary fiber in tropical fruits and persimmon, 367
Gornati, R.: *See* Rizzo, A.M., 44
Goto, T., Ohnomi, S., Khedara, A., Kato, N., Ogawa, H., and Yanagita, T. Feeding the nitric oxide synthase inhibitor L-$N^{\omega}$nitroarginine elevates serum very low density lipoprotein and hepatic triglyceride synthesis in rats, 274
Grauer, F.: *See* Gorinstein, S., 367
Grunwald, E.: *See* Janghorbani, M., 564
Guéant, J.L.: *See* Galland-Irmouli, A.-V., 353
Guidry, C.A.: *See* Schoene, N.W., 421
Gurkin, B.E.: *See* Tipton, K.D., 89
Guy, C.: *See* Lopez, H.W., 500

Ha, P.: *See* Janghorbani, M., 564
Hagen, E., Myhre, A.M., Smeland, S., Halvorsen, B., Norum, K.R., and Blomhoff, R. Uptake of vitamin A in macrophages from physiologic transport proteins: Role of retinol-binding protein and chylomicron remnants, 345
Halvorsen, B.: *See* Hagen, E., 345
Harris, W.S.: *See* Lu, G., 151
Haruenkit, R.: *See* Gorinstein, S., 367
Hazel, J.R.: *See* Bizeau, M.E., 709
Heger, R.J., and Baybutt, R.C. Regulation of polyamine synthesis and transport by retinoic acid and epidermal growth factor in cultured adult rat type II pneumocytes, 518
Henrotte, J.-G.: *See* Franck, G., 433
Henry, G.: *See* Bouhallab, S., 723
Hine, R.J.: *See* Melnyk, S., 490
Hortal, J.H.: *See* Castillo, M., 198
Hsu, J.-T., Hung, H.-C., Chen, C.-J., Hsu, W.-L., and Ying, C. Effects of the dietary phytoestrogen biochanin A on cell growth in the mammary carcinoma cell line MCF-7, 510
Hsu, W.-L.: *See* Hsu, J.-T., 510
Huang, P.-C.: *See* Tsai, P.-J., 631
Huang, Y.-H.: *See* Wei, I.-L., 525
Hung, H.-C.: *See* Hsu, J.-T., 510

Ibrahim, W., Lee, U.-S., Szabo, J., Bruckner, G., and Chow, C.K. Oxidative stress and antioxidant status in mouse kidney: Effects of dietary lipid and vitamin E plus iron, 674
Ide, N., Lau, B.H.S., Ryu, K., Matsuura, H., and Itakura, Y. Antioxidant effects of fructosyl arginine, a Maillard reaction product in aged garlic extract, 372
Iglesias, J.: *See* Castillo, M., 198
Iizuka, M.: *See* Yamamoto, Y., 13
Itakura, Y.: *See* Ide, N., 372
Ito, M.: *See* Sone, H., 237

Jahangiri, A.: *See* Leifert, W.R., 252
James, S.J.: *See* Melnyk, S., 490
Janghorbani, M., Xia, Y., Ha, P., Whanger, P.D., Butler, J.A., Olesik, J.W., and Grunwald, E. Effect of dietary selenium restriction on selected parameters of selenium status in men with high life-long intake, 564
Jansen, G.R. Effect of $\Delta^{22}$-5β-taurocholenic acid on hepatic cholesterol and fatty acid in gold thioglucose obese mice fed low- or high-fat diets, 638
Jauhiainen, M.: *See* Tahvanainen, E., 360
Jeon, I.J.: *See* Noh, S.K., 110
Johnston, C.S., and Corte, C. Tissue carnitine fluxes in vitamin C-depleted–repleted guinea pigs, 696
Juhel, C., Senft, M., Pafumi, Y., Girard-Globa, A., Levy, E., Lafont, H., and Lairon, D. Acute ingestion of different dietary fatty acid species modulates postprandial lipid responses in New Zealand white rabbits, 458

Kalimo, K.O.: *See* Yang, B., 622
Kallio, H.P.: *See* Yang, B., 622
Kallio, S.E.: *See* Yang, B., 622
Kaminsky, R.G.: *See* Canfield, L.M., 532
Kang, J.X.: *See* Leaf, A., 440
Karppanen, H.: *See* Tahvanainen, E., 360
Kasser, T.R.: *See* Azain, M.J., 205
Katajisto, J.K.: *See* Yang, B., 622
Kato, N.: *See* Goto, T., 274
Kawano, M.: *See* Yamamoto, Y., 13
Kelder, B.: *See* Prieto, P.A., 682
Keller, W.L.: *See* Wu, D.M., 455
Khedara, A.: *See* Goto, T., 274
Kim, S.-B., and Berdanier, C.D. Further studies of diabetes-prone BHE/Cdb rats: Increased sensitivity to calcium ion suppression of oxidative phosphorylation, 31
Kim, Y.-I. Folate and carcinogenesis: Evidence, mechanisms, and implications, 66
Kishi, K., Takase, S., and Goda, T. Enhancement of sucrase-isomaltase gene expression induced by luminally administered fructose in rat jejunum, 8
Komarnitsky, M.: *See* Stern, F., 467
Koo, S.I.: *See* Noh, S.K., 110
Kopchick, J.J.: *See* Prieto, P.A., 682
Kopcsányi, G.: *See* Pap, M., 670
Kriek, J.A.: *See* Wolmarans, P., 598
Kumar, M.V., Sambaiah, K., and Lokesh, B.R. Effect of dietary ghee—the anhydrous milk fat, on blood and liver lipids in rats, 96
Kurowska, E.M.: *See* Giroux, I., 166

Laakso, J.: *See* Tahvanainen, E., 360
Lafont, H.: *See* Coste, T., 411
Lafont, H.: *See* Juhel, C., 458
Lairon, D.: *See* Juhel, C., 458
Lakshmi, A.V.: *See* Brijlal, S., 728
Lambert, D.: *See* Gaire, D., 56
Lamghari, R.: *See* Galland-Irmouli, A.-V., 353
Lampi, B.J.: *See* Brooks, S.P.J., 291
Latorraca, M.Q., Carneiro, E.M., Mello, M.A.R., and Boschero, A.C. Reduced insulin secretion in response to nutrients in islets from malnourished young rats is associated with a diminished calcium uptake, 37
Lau, B.H.S.: *See* Ide, N., 372
Laubscher, J.A.: *See* Wolmarans, P., 598
Leaf, A., Kang, J.X., Xiao, Y.-F., Billman, G.E., and Voskuyl, R.A. Experimental studies on antiarrhythmic and antisei-

zure effects of polyunsaturated fatty acids in excitable tissues, 440
Lee, U.-S.: *See* Ibrahim, W., 674
Leelamma, S.: *See* Pillai, M.G., 555
Leifert, W.R., Jahangiri, A., and McMurchie, E.J. Antiarrhythmic fatty acids and antioxidants in animal and cell studies, 252
Leonardi, J.: *See* Coste, T., 411
Levrat, M.-A.: *See* Lopez, H.W., 500
Levy, E.: *See* Juhel, C., 458
Lin, E.C.K.: *See* Sun, D., 172
Lladó, I., Pons, A., and Palou, A. Effects of fasting on lipoprotein lipase activity in different depots of white and brown adipose tissues in diet-induced overweight rats, 609
Lokesh, B.R.: *See* Kumar, M.V., 96
Lombard, C.J.: *See* Wolmarans, P., 598
Lopez, H.W., Levrat, M.-A., Guy, C., Messager, A., Demigné, C., and Rémésy, C. Effects of soluble corn bran arabinoxylans on cecal digestion, lipid metabolism, and mineral balance (Ca, Mg) in rats, 500
López-Soriano, F.J.: *See* Argilés, J.M., 244
Lu, G., Windsor, S.L., Harris, W.S. Omega-3 fatty acids alter lipoprotein subfraction distributions and the in vitro conversion of very low density lipoproteins to low density lipoproteins, 151
Luçon, M.: *See* Galland-Irmouli, A.-V., 353
Luque, P.: *See* Castillo, M., 198

Maebashi, M.: *See* Sone, H., 237
Mahal, Z.: *See* Canfield, L.M., 532
Mahé, S.: *See* Meziani, K., 405
Maixent, J.-M.: *See* Gerbi, A., 230
Manna, C., Galletti, P., Cucciolla, V., Montedoro, G., and Zappia, V. Olive oil hydroxytyrosol protects human erythrocytes against oxidative damages, 159
Marais, M.: *See* Wolmarans, P., 598
Martin, A.: *See* Meziani, K., 405
Martin-Belloso, O.: *See* Gorinstein, S., 367
Masanés, R.M., Rafecas, I., and Remesar, X. The hepatic amino acid system, a transport activity, is up-regulated in obese Zucker rats, 716
Matin, S.: *See* Tipton, K.D., 89
Matsumoto, T.: *See* Yamamoto, Y., 13
Matsuura, H.: *See* Ide, N., 372
Mattila, L.M.: *See* Yang, B., 622
Maubois, J.-L.: *See* Bouhallab, S., 723
Maubois, J.-L.: *See* Pérès, J.-M., 215
McClung, J.P., and Bobilya, D.J. The influence of zinc status on the kinetics of zinc uptake into cultured endothelial cells, 484
McMurchie, E.J.: *See* Leifert, W.R., 252
McNamara, D.J.: *See* Sun, D., 172
Melegh, B.: *See* Pap, M., 670
Mello, M.A.R.: *See* Latorraca, M.Q., 37
Melnyk, S., Pogribna, M., Pogribny, I., Hine, R.J., and James, S.J. A new HPLC method for the simultaneous determination of oxidized and reduced plasma aminothiols using coulometric electrochemical detection, 490
Melo, G.E.B.A.: *See* Reen, R.K., 615
Menon, V.P.: *See* Nageswari, K., 338
Menon, V.P.: *See* Pillai, M.G., 555
Messager, A.: *See* Lopez, H.W., 500
Metges, C.C.: *See* Petzke, K.J., 268
Meydani, M.: *See* Mune, M., 539
Meziani, K., Benamouzig, R., Mahé, S., Martin, A., Bouras, M., Rautureau, J., and Tomé D. Effects of a high soy protein diet on intestinal polyamines and ornithine decarboxylase activity in rats, 405
Mittendorfer, B.: *See* Sidossis, L.S., 547
Miyase, T.: *See* Yoshino, K., 223
Mock, D.M.: *See* Zempleni, J., 105, 128, 427
Mokady, S.: *See* Werman, M.J., 449
Molin, M.: *See* Tahvanainen, E., 360
Mollé, D.: *See* Bouhallab, S., 723
Montedoro, G.: *See* Manna, C., 159
Moraes-Santos, T.: *See* Reen, R.K., 615
Mune, M., Meydani, M., Gong, J., Fotouhi, N., Ohtani, H., Smith, D., and Blumberg, J.B. Effect of dietary fish oil, vitamin E, and probucol on renal injury in the rat, 539
Myhre, A.M.: *See* Hagen, E., 345

Nageswari, K., Banerjee, R., and Menon, V.P. Effect of saturated, ω-3 and ω-6 polyunsaturated fatty acids on myocardial infarction, 338
Nehra, V., Swails, W., Duerksen, D., Babineau, T., and Bistrian, B.R. Indications for total parenteral nutrition in the hospitalized patient: A prospective review of evolving practice, 2
Neuville, D.: *See* Pérès, J.-M., 215
Newsholme, P., Curi, R., Pithon Curi, T.C., Murphy, C.J., Garcia, C., and Pires de Melo, M. Glutamine metabolism by lymphocytes, macrophages, and neutrophils: Its importance in health and disease, 316
Nicolas, J.-P.: *See* Gaire, D., 56
Nogowski, L. Effects of phytoestrogen-coumestrol on lipid and carbohydrate metabolism in young ovariectomized rats may be independent of its estrogenicity, 664
Noh, S.K., Koo, S.I., and Jeon, I.J. Estradiol replacement in ovariectomized rats increases the hepatic concentration and biliary secretion of α-tocopherol and polyunsaturated fatty acids, 110
Norum, K.R.: *See* Hagen, E., 345

Oda, H., Suzuki, Y., Shibata, T., and Yoshida, A. Glucocorticoid-dependent induction of HMG-CoA reductase and malic enzyme gene expression by polychlorinated biphenyls in rat hepatocytes, 644
Ogawa, H.: *See* Goto, T., 274
Ohneda, M.: *See* Sone, H., 237
Ohnomi, S.: *See* Goto, T., 274
Ohtani, H.: *See* Mune, M., 539
Olesik, J.W.: *See* Janghorbani, M., 564
Osmundsen, H.: *See* Brodal, B.P., 700
Oukhatar, N.A: *See* Bouhallab, S., 723

Pacheco, D.: *See* Silva, E., 181
Pafumi, Y.: *See* Juhel, C., 458
Palou, A.: *See* Lladó, I., 609
Pap, M., Kopcsányi, G., Bieber, L.L., Gage, D.A., and Melegh, B. Cefetamet pivoxil treatment causes loss of carnitine reserves that can be prevented by exogenous carnitine administration, 670
Park, C.S.: *See* Wu, D.M., 455
Peck, M.D., and Chang, Y. Nutritional support for burn injuries, 380
Peltola, O.J.: *See* Yang, B., 622
Pérès, J.-M., Bouhallab, S., Bureau, F., Neuville, D., Maubois, J.-L., Devroede, G., Arhan, P., and Bouglé, D. Mechanisms of absorption of caseinophosphopeptide bound iron, 215
Petrie, L.: *See* Chesters, J.K., 279
Petzke, K.J., Proll, J., Brückner, J., and Metges, C.C. Plasma protein carbonyl concentration is not enhanced by chronic intake of high-protein diets in adult rats, 268
Pierlovisi, M.: *See* Coste, T., 411
Pillai, M.G., Thampi, B.S.H., Menon, V.P., and Leelamma, S. Influence of dietary fiber from coconut kernel (*Cocos nucifera*) on the 1,2-dimethylhydrazine-induced lipid preoxidation in rats, 555
Pogribna, M.: *See* Melnyk, S., 490
Pogribny, I.: *See* Melnyk, S., 490
Polyak, Z.: *See* Stern, F., 467
Pons, A.: *See* Lladó, I., 609
Prieto, P.A., Kopchick, J.J., and Kelder, B. Transgenic animals and nutrition research, 682
Proll, J.: *See* Petzke, K.J., 268

Raccah, D.: *See* Coste, T., 411
Rafecas, I.: *See* Masanés, R.M., 716
Raul, F.: *See* Chambon-Savanovitch, C., 331
Rautureau, J.: *See* Meziani, K., 405
Reen, R.K., Melo, G.E.B.A., and Moraes-Santos, T. Malnutrition sequela on the drug metabolizing enzymes in male Holtzman rats, 615
Reeves, P.G.: *See* Bobilya, D.J., 139
Remesar, X.: *See* Masanés, R.M., 716
Rémésy, C.: *See* Lopez, H.W., 500
Reynolds, J.T.: *See* Bobilya, D.J., 139
Rizzo, A.M., Gornati, R., Rossi, F., Bernardini, G., and Berra, B. Effect of maternal diet on the distribution of phospholipids and their fatty acid composition in *Xenopus laevis* embryos, 44

Rönning, H.: *See* Brodal, B.P., 700
Rossi, F.: *See* Rizzo, A.M., 44
Rouxel, M.: *See* Galland-Irmouli, A.-V., 353
Ryu, K.: *See* Ide, N., 372

Saari, J.T., and Dahlen, G.M. Early and advanced glycation end-products are increased in dietary copper deficiency, 210
Saeki, S.: *See* Yamamoto, Y., 13
Sambaiah, K.: *See* Kumar, M.V., 96
Sano, M: *See* Yoshino, K., 223
Sarama, R.J.: *See* Garrett, D.A., 573
Sasaki, K.: *See* Yoshino, K., 223
Schoene, N.W. and Guidry, C.A. Dietary soy isoflavones inhibit activation of rat platelets, 421
Schramm, D.D., Collins, H.E., and German, J.B. Flavonoid transport by mammalian endothelial cells, 193
Sela, B.-A.: *See* Stern, F., 467
Senft, M.: *See* Juhel, C., 458
Shibata, Y.: *See* Oda, H., 644
Sidossis, L.S., Mittendorfer, B., Walser, E., and Wolfe, R.R. Regional disposal of intravenously infused glucose during prolonged hyperglycemia–hyperinsulinemia, 547
Silva, E., Edwards, A.M., and Pacheco, D. Visible light-induced photooxidation of glucose sensitized by riboflavin, 181
Smeland, S.: *See* Hagen, E., 345
Smith, D.: *See* Mune, M., 539
Sohn, E., Daggy, B.P., and Arjmandi, B.H. Ovariectomized hamster: A potential model of postmenopausal hypercholesterolemia, 660
Sone, H., Ito, M., Sugiyama, K., Ohneda, M., Maebashi, M., and Furukawa, Y. Biotin enhances glucose-stimulated insulin secretion in the isolated perfused pancreas of the rat, 237
Spinnler Benadé, A.J.: *See* Wolmarans, P., 598
Sponne, I.: *See* Gaire, D., 56
Srinivasan, K.: *See* Babu, P.S., 477
Stern, F., Berner, Y.N., Polyak, Z., Komarnitsky, M., Sela, B.-A., and Dror, Y. Effect of vitamin $B_6$ supplementation on degradation rates of short-lived proteins in human neutrophils, 467
Strain, J.J.: *See* Benzie, I.F.F., 146
Sugiyama, K.: *See* Sone, H., 237
Sun, D., Fernandez, M.L., Lin, E.C.K., and McNamara, D.J. Regulation of guinea pig hepatic acyl-CoA:cholesterol acyltransferase activity by dietary fat saturation and cholesterol, 172
Sundvall, J.: *See* Tahvanainen, E., 360
Suzuki, M.: *See* Yoshino, K., 223
Suzuki, Y.: *See* Oda, H., 644
Swails, W.: *See* Nehra, V., 2
Szabo, J.: *See* Ibrahim, W., 674

Tahvanainen, E., Molin, M., Laakso, J., Sundvall, J., Jauhiainen, M., Vaskonen, T., and Karppanen, H. Interrelationships between low density lipoprotein receptor defect, serum fatty acid composition, and serum cholesterol concentration, 360
Takahashi, Y.: *See* Yamamoto, Y., 13
Takase, S.: *See* Kishi, K., 8
Taren, D.L.: *See* Canfield, L.M., 532
Teichberg, S.: *See* Allen, L.A., 49
Thampi, B.S.H.: *See* Pillai, M.G., 555
Thorgeirsdottir, S.: *See* Cerda, S.R., 19
Tichelaar, H.Y.: *See* Wolmarans, P., 598
Tipton, K.D., Gurkin, B.E., Matin, S., and Wolfe, R.R. Nonessential amino acids are not necessary to stimulate net muscle protein synthesis in healthy volunteers, 89
Tomé, D.: *See* Meziani, K., 405
Trakhtenberg, S.: *See* Gorinstein, S., 367
Tsai, P.-J., and Huang, P.-C. Effects of isoflavones containing soy protein isolate compared with fish protein on serum lipids and susceptibility of low density lipoprotein and liver lipids to in vitro oxidation in hamsters, 631

Vague, P.: *See* Coste, T., 411
van der Merwe, S.: *See* Wolmarans, P., 598
Vaskonen, T.: *See* Tahvanainen, E., 360
Vasson, M.-P.: *See* Chambon-Savanovitch, C., 331
Venkatraman, J.T., and Chu, W.-c. Effects of dietary omega:3 and ω6 lipids and vitamin E on proliferative response, lymphoid cell subsets, production of cytokines by spleen cells, and splenic protein levels for cytokines and oncogenes in MRL/MpJ-*lpr/lpr* mice, 582
Vergara-Jimenez, M., Furr, H., and Fernandez, M.L. Pectin and psyllium decrease the susceptibility of LDL to oxidation in guinea pigs, 118
Villaume, C.: *See* Galland-Irmouli, A.-V., 353
Vorster, H.H.: *See* Wolmarans, P., 598
Voskuyl, R.A.: *See* Leaf, A., 440

Walser, E.: *See* Sidossis, L.S., 547
Wang, G.-S.: *See* Wei, I.-L., 525
Wapnir, R.A.: *See* Allen, L.A., 49
Wdzieczak-Bakala, J.: *See* Franck, G., 433
Wei, I.-L., Huang, Y.-H., and Wang, G.-S. Vitamin $B_6$ deficiency decreases the glucose utilization in cognitive brain structures of rats, 525
Werman, M.J., Ben-Amotz, A., and Mokady, S. Availability and antiperoxidative effects of β-carotene from *Dunaliella bardawil* in alcohol-drinking rats, 449
Whanger, P.D.: *See* Janghorbani, M., 564
Wilkinson, J., IV: *See* Cerda, S.R., 19
Windsor, S.L.: *See* Lu, G., 151
Wingertzahn, M.A.: *See* Allen, L.A., 49
Wolf, G. The function of cholesterol in embryogenesis, 188
Wolfe, R.R.: *See* Sidossis, L.S., 547
Wolfe, R.R.: *See* Tipton, K.D., 89
Wolmarans, P., Laubscher, J.A., van der Merwe, S., Kriek, J.A., Lombard, C.J., Marais, M., Vorster, H.H., Tichelaar, H.Y., Dhansay, M.A., and Spinnler Benadé, A.J. Effects of a prudent diet containing either lean beef and mutton or fish and skinless chicken on the plasma lipoproteins and fatty acid composition of triacylglycerol an cholesteryl ester of hypercholesterolemic subjects, 598
Wu, D.M., Keller, W.L., and Park, C.S. Lipotropes alter casein gene expression in bovine mammary acinar culture, 455

Xia, Y.: *See* Janghorbani, M., 564
Xiao, Y.-F.: *See* Leaf, A., 440
Xu, S., and Cho, B.H.S. Allyl mercaptan, a major metabolite of garlic comounds, reduces cellular cholesterol synthesis and its secretion in Hep-G2 cells, 654

Yamaguchi, H.: *See* Yamamoto, Y., 13
Yamamoto, Y., Takahashi, Y., Kawano, M., Iizuka, M., Matsumoto, T., Saeki, S., and Yamaguchi, H. In vitro digestibility and fermentability of levan and its hypocholesterolemic effects in rats, 13
Yanagita, T.: *See* Goto, T., 274
Yang, B., Kalimo, K.O., Mattila, L.M., Kallio, S.E., Katajisto, J.K., Peltola, O.J., and Kallio, H.P. Effects of dietary supplementation with sea buckthorn (*Hippophaë rhamnoides*) seed and pulp oils on atopic dermatitis, 622
Ying, C.: *See* Hsu, J.-T., 510
Yoshida, A.: *See* Oda, H., 644
Yoshino, K., Suzuki, M., Sasaki, K., Miyase, T., and Sano, M. Formation of antioxidants from (−)-epigallocatechin gallate in mild alkaline fluids, such as authentic intestinal juice and mouse plasma, 223
Zapata, M.: *See* Fungwe, T.V., 306
Zappia, V.: *See* Manna, C., 159
Zempleni, J., and Mock, D.M. Biotin biochemistry and human requirements, 128
Zempleni, J., and Mock, D.M. The efflux of biotin from human peripheral blood mononuclear cells, 105
Zempleni, J., and Mock, D.M. Human peripheral blood mononuclear cells: Inhibition of biotin transport by reversible competition with pantothenic acid is quantitatively minor, 427
Zemser, M.: *See* Gorinstein, S., 367
Zérouga, M.: *See* Gerbi, A., 230

# Subject Index


Actin, 19
Activation coefficient, 467
Acyl-coA:cholesterol acyltransferase, 172
Aged garlic extract, 372
Alcohol, 449
Alkaline fluids, 223
Alkaline phosphatase, 299
All-trans retinoic acid, 518
Allyl mercaptan, 654
Amino acid, 353
Antioxidant, 146, 223, 372
Antioxidants, 159, 252, 674
Apoptosis, 397
Arginine, 166, 237
Arrhythmia, 252, 440
Ascorbate, 146
Aspartate aminotransferase, 467
Atherosclerosis, 338, 372
Atopy, 622
ATPase, 325
Autoimmunity, 582

BHE/Cdb rat, 31
Bifidobacteria, 13
Biliary lipid, 110
Biochanin A, 510
Biotin, 105, 128, 237, 427
Biotin-deficient rat, 237
Blood lipids, 96
Bovine, 455
Brain, 230, 525
Breast milk, 532
Brush border membrane, 299
Burns, 380

$Ca^{2+}$ fluxes, 37
Caco-2 cells, 573
Calcium, 31, 500
Capsaicin, 477
Carbohydrate, 664
Carboxylases, 128
Carcinogenesis, 66
Cardiomyocytes, 252
Carnitine, 274, 670
Carnitine deficiency, 670
β-carotene, 449, 532, 573
Carotenoid interactions, 573
Carotenoids, 532
Casein, 405
Casein gene, 455
Caseinophosphopeptide, 215, 723
Catalase, 338, 700
*cdc2*, 19
Cecum, 500
Cefetamet pivoxil, 670
Cell cycle, 279
Cell proliferation, 405, 510
Cervical cancer, 66
Chemoprevention, 66
Chicken, 598
Chinese men, 565
Cholesterol, 188, 198, 325, 360, 500, 638
Cholesterol oxidation products (COPS), 96
Cholesterol secretion, 654
Cholesterol synthesis, 654
Chylomicron remnants, 345
Clofibrate, 700
Coconut oil, 198, 325, 707
Colon cancer, 19, 66
Colon cancer cells, 397
Copper, 210
Coumestrol, 664
Cyclin, 279
Cytochrome oxidase, 325
Cytochrome P450, 615
Cytokines, 316, 582
Cytotoxicity, 654

2-deoxyglucose, 525
Dexamethasone, 139
Diabetes, 316, 411
Diabetes mellitus, 477
Diet, 44, 700
Dietary amino acids, 166
Dietary cholesterol, 172
Dietary fat, 172, 291
Dietary fiber, 13, 367, 555
Dietary lipids, 458
Digestibility, 13
Digestive absorption, 215
Dimerization, 223
1,2-dimethylhydrazine, 555
Docosahexaenoic acid, 151, 441
Drug metabolizing enzymes, 615
*Dunaliella bardawil*, 449

Efflux, 105
EHS-gel, 644
Eicosapentaenoic acid, 151, 440
Electrochemical detection, 490
Embryo development, 44
Endocytosis, 215
Endothelial cell, 139, 193, 484
Endothelin, 193
Endotoxemic rats, 331
Enteral diet, 331
Enzymatic digestion, 723
Epidermal growth factor, 518
(−)-Epigallocatechin gallate, 223
Erythrocyte, 159
Essential amino acids, 89
Essential fatty acids, 96, 638
17β-estradiol, 139
Estrogen, 110, 660

Familial hypercholesterolemia, 360
Fasting, 609
Fatty acid synthesis, 291
Fatty acids, 110, 338, 360, 638
ω-3 and &omega-6 fatty acids, 44
Fermentation, 500
Fiber, 500
Fish, 598
Fish oil, 151, 539, 674, 707
Fish protein, 631
Flavonoid, 193
Folate, 66
FRAP assay, 146
Fructosamine, 210
Fructose, 8
Fructosyl arginine, 372

G2, 279
Gamma linolenic acid, 411
Gene expression, 8
Genistein, 420
Ghee, 96
Glomerulonephritis, 539
Glucocorticoid, 644
Gluconeogenesis, 205, 707
Glucose, 181, 237, 433
Glucose metabolism, 525
GLUT-1, 433
GLUT5, 8
Glutamate, 331
Glutamine, 316, 331
Glutathione, 490
Glycation, 210
Glycerol, 49
Glycogenolysis, 707
Guinea pig, 118, 172, 696

Half-lives, 105
Hamsters, 631
Hemoglobin $A_1$, 210
Hepatic, 660
Hepatic triglyceride lipase, 151
Hepatic vein, 547
Hepatocytes, 205
Hep-G2 cell, 654
High selenium intake, 565
High-performance liquid chromatography, 56
High-protein diet, 268
*Hippophaë rhamnoides*, 622
HMG-CoA reductase, 198, 644
Holoprosencephaly, 188
Homocysteine, 490
HPLC, 490
Human, 128, 427
Hydroperoxides, 338
Hydroxytyrosol, 159
Hypercholesterolemia, 166, 598
Hyperhydration, 49
Hypermetabolism, 380
Hyperproteic diet, 716
Hyperthyroidism, 31
Hypertriglyceridemia, 274
Hypocholesterolemic effect, 13

IL-6, 139
Immune response, 582
*In vitro* digestibility, 353

Infant nutrition, 532
Insulin resistance, 547, 707
Insulin response, 237
Insulin secretion, 37
Intestinal juice, 223
Intestine, 331, 405, 660
Iron, 215, 674, 723
Isoenzyme, 230
Isoflavones, 420, 631
Isolated membrane vesicles, 716
Isolated pancreas perfusion, 237

J774 cells, 345
Jejunal perfusions, 49

Kidney, 674

L-alanine transport, 716
Lard, 674
LDL oxidation, 118, 631
Lean red meat, 598
Legume, 510
Levan, 13
Lipid peroxidation, 159, 449, 555
Lipids, 664
ω lipids, 582
Lipogenesis, 638
Lipoprotein clearance, 458
Lipoprotein lipase, 151, 345, 609
Lipoproteins, 598
Lipotrope, 455
Liver, 56, 172, 547, 716
Liver and extrahepatic tissues, 615
Liver lipids, 96
Low density lipoprotein, 172, 372
Low density lipoprotein receptor, 360
Low density lipoproteins, 151
Lutein, 573
Lymphocytes, 316
Lysine, 166

Macrophages, 316, 345, 539
Magnesium, 433, 500
Maillard reaction product, 372
Malic enzyme, 644
Malnutrition sequela, 615
Malondialdehyde, 338
Mammary cell, 455
Mass spectrometry, 670
Membrane transport, 433
Menhaden oil, 198
Metabolic control, 291
Metabolism, 128, 205, 291
Metallothionein, 139
Methionine, 166, 490
Methodology, 56
Methylmalonyl-coenzyme A mutase, 56
Mice, 582
Micelles, 573
Mitochondrial phospholipids, 325
Monosaccharides, 433
Monoterpenes, 19
Morin, 193
Mouse plasma, 223
Muscle carnitine, 696
Muscle proteolysis, 244
Muscles, 331
Myocardial infarction, 338

N-3, 440
N-6, 440
n-3 fatty acids, 252
(n-3) polyunsaturated fatty acids, 230
Na, K-ATPase, 230
Na+, K+ ATPase, 411
N-butyrate, 397
N-end rule, 467
Neonatal chick, 198
Nerve conduction velocity, 411
Neutrophil, 316, 467
Nitric oxide, 274
Nitrogen uptake, 89
Nonsteroidai estrogen, 510
Nutrition, 380, 682
Nutritional value, 353

Obesity, 609, 638
Oleic acid, 306
Olive oil, 159
Omega-3, 440
Omega-6, 440
Oncogenes, 582
Onion, 477
Oral amino acids, 89
Oral rehydration solutions, 49
Ornithine decarboxylase, 405, 518
Oxidase, 700
β-oxidation, 728
Oxidative hemolysis, 159
Oxidative phosphorylation, 728
Oxidative stress, 268, 674
OXPHOS, 31

*Palmaria palmata*, 353
Palmitoyltransferase, 274
Pancreatic islets, 37
Pantothenic acid, 427
Parenteral nutrition, 547
PCB, 644
Pectin, 118
Pentosidine, 210
Peripheral blood mononuclear cells, 105, 427
Peroxisomes, 700
Persimmon, 367
Phosphatases, 420
Phosphatidate phosphohydrolase, 274
Phospholipids, 44
Photooxidation, 181
Photosensitized, 181
Pigs, 299
Pivalate, 670
Plasma, 490
Plasma carnitine, 696
Plasma fatty acids, 622
Plasma lipids, 622
Plasma protein oxidation, 268
Plasma selenoprotein P, 565
Platelets, 420
Polyamines, 405, 700
Postprandial, 458
Primary hepatocyte, 644
Probucol, 539
Propionate, 397
Prostacyclin, 193
Protein, 353
Protein degradation, 396, 467
protein isoprenylation, 19
Protein malnutrition, 37
Protein metabolism, 244
Protein tyrosine kinases, 420
Proteoglycans, 345
Prudent diet, 598
Psyllium, 118

Rabbits, 166, 458
Radio-assay, 56
*Ras*, 19
Rat, 8, 37, 56, 215, 230, 268, 411, 449, 525
Rat duodenum, 723
Rat erythrocyte, 433
Reactive carbonyl derivatives, 268
Redox status, 490
Reductant, 146
Remnant kidney model, 539
Renal lesions, 477
Requirements, 128
Respiratory infection, 728
Retinoids, 345
Retinol, 532
Retinol-binding protein, 345
Riboflavin, 181
Riboflavin deficiency, 728

Saturated fatty acids, 96
Sea buckthorn oils, 622
Seaweed, 353
Seizures, 44
Selenite exchangeable pool, 565
Selenium depletion, 565
Serum cholesterol, 13, 631
Serum lipoproteins, 274
Short-chain fatty acids, 397
Small intestine, 299
Smith-Lemli-Opitz syndrome, 188
Sodium absorption, 49
*Sonic hedgehog* gene, 188
Soy, 420
Soy protein, 405, 631
Splanchnic balance, 547
Stable isotopes of selenium, 565
Sterol biosynthesis, 660
Sucrase-isomaltase, 8
Superoxide dismutase, 338
Supplementation, 532
Synthesis and secretion, 306

Targeted mutants, 682
Taurocholenic acid, 638
Tea, 223
Theasinensin, 223
Thiols, 490
Tissue transglutaminase, 397
α-tocopherol, 118
Total polyphenols, 367
Transgene, 682

Transgenic animals, 682
Transport, 193, 427
Triacylglycerol, 360
Tropical fruits, 367
Type II pneumocyte, 518
Tyrphostin, 518

Ubiquitin, 244
Urine selenium, 565

Very low density lipoproteins, 151
Vitamin A, 345, 449, 532
Vitamin $B_6$, 467, 525
Vitamin C, 146
Vitamin C deficiency, 696
Vitamin E, 110, 539, 674
Vitamin E deficiency, 268

Water absorption, 49
Weanling rats, 291
White and brown adipose tissues, 609
*Xenopus laevis*, 44

Young ovariectomized rats, 664

Zinc, 139, 279
Zinc deficiency, 484
Zinc toxicity, 484
Zinc transport, 484
Zucker rat, 244, 716